



The Restomotive rear subframe brace was designed to stiffen the connection between the rear subframe and the chassis, reducing rear axle “floating” under load. The S355 steel construction increases rigidity in the rear suspension section, improves vehicle stability, and supports more predictable behavior during dynamic driving. Additional support points help maintain more stable suspension geometry during hard acceleration and quick direction changes. As a result, the car responds better to driver input and transfers power to the road more effectively.

MAXIMUM RIGIDITY

REDUCTION OF REAR “FLOATING” EFFECT

IMPROVED TRACTION

LOW-PROFILE CONSTRUCTION



PRODUCT DESCRIPTION

The Restomotive rear subframe brace for the Ford Mustang GT Gen 6 is a reinforcement component designed to stiffen the rear suspension section and improve subframe stability under load. It connects the rear subframe to the chassis, reducing unwanted movement during hard acceleration, quick direction changes, and driving under high suspension load. The structural S355 steel construction provides high mechanical strength, rigidity, and load resistance, while the low-profile shape helps maintain practical installation without negatively affecting vehicle ground clearance.

KEY FEATURES OF THE PRODUCT

Maximum rigidity: Limits rear subframe movement relative to the chassis and stabilizes suspension geometry under load.

Reduction of rear “floating” effect: Stiffens the rear subframe, improving vehicle predictability during quick direction changes.

Improved traction: More stable rear axle operation helps transfer power to the road more effectively.

Structural S355 steel: Provides high mechanical strength and resistance to load.

Optimized geometry: Effectively stiffens the rear suspension section without limiting vehicle practicality.






THE SET INCLUDES:

- Tubular reinforcement frame (left + right)
- Installation kit

ZASTOSOWANIE

- Ford Mustang Convertible Gen VI
- Ford Mustang 2.3 EcoBoost Gen VI
- Ford Mustang 3.7 V6 Gen VI
- Ford Mustang 5.0 V8 Gen VI
- Ford Mustang 5.0 V8 Bullitt Gen VI
- Ford Mustang 5.2 Shelby GT350 Gen VI
- Ford Mustang 5.2 Shelby GT500 Gen VI





ASSEMBLY INSTRUCTIONS:

Technical data sheet

LEVEL OF DIFFICULTY:

Intermediate. Intended for installation by qualified personnel.

COMMENTS:

Before purchasing, ensure that the product is compatible with your vehicle.

CONTACT:

+48 572 323 272

biuro@restomotive.eu

www.restomotive.eu